| ASSOCIATION CONNECTING | © Copyright 2005. IPC, I international and Pan-An | ion Dec Bannockb nerican co | laration urn, Illinois. A pyright conven | ll rights reserved utions. | under both | This docume level parts, t | ent is a declarat he declaration e | ion of the su encompasses | bstances all lowe | within the manufact r level materials for | urer listed which the | item. Note: i manufacturer | f the item is an as r has engineering | ssembly with low responsibility. | |
|--|---|-----------------------------------|---|----------------------------|--|---|---------------------------------------|------------------------------|----------------------|--|--------------------------|---------------------------------|--|----------------------------------|--|
| 752-21.1 | IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute | | | | * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi | | | | | rials and N | als and Mfg Information | | | | |
| upplier Inform | ation | | | | | | | | | | | | | | |
| Company name* | | | Company unique ID | | | - | Unique ID Authority | | | | Respor | Response Date* | | | |
| nsemi | | | | | | | | | | | 2024-0 | 2024-05-20 | | | |
| Contact Name | | | Title - Contact | | | | Phone - Contact* | | | | Email · | Email - Contact* | | | |
| Product-Env-Stewards | | | Product Enviro Compliance | | | | NA | | | | Produ | Product-Env-Stewards@onsemi.com | | | |
| Authorized Representative* | | | Title - Representative | | | | Phone - Representative* | | | | Email · | Email - Representative* | | | |
| Product-Env-Stewards | | | Product Enviro Compliance | | | | NA | | | | Produ | Product-Env-Stewards@onsemi.com | | | |
| Requester Item Number Mfr Ite | | Mfr Item | m Number Mfr Item Name | | | | Effective Date | Version | 1 | Manufacturing Site | | Weight* | UOM | Unit Type | |
| | | FGA15N120ANTDTU NPTPIGBT -F109 | | NPTPIGBT TO3 | TO3PN 15A 1200V | | 2024-05-20 | | (| СРА | | 5434.65 | mg | Each | |
| Ianufacturing I | Proccess Information | l | | | | | | | | | | | | | |
| Terminal Plating / Grid Array Material | | erminal Base Alloy J-STD-020 MS | | L Rating | Peak Proc | Peak Process Body Temperature Max Time at F | | re Max Time at Pea | k Tempera | ture Numb | per of Reflow Cy | cles | | | |
| Matte Tin (Sn) - annealed | | С | CU Alloy NA | | NA | | 0 | 0 C | | 30 | | nds 3 | | | |
| omments | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| or more informatio | on regarding material com | position 1 | please refer to | page 3 | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | | Declaration Type * | Detailed | | | | |
|--|---|--|---|---|---|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | | mium (Cr6+), Polybrominated Biphenyls (Pl | | dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et | | | | | |
| cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company | ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the | henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg | nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co | e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica | ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of | | | | |
| RoHS Declaration * 4 - Item(| s) does not contain RoHS restricted subst | ances per the definition above except for sele | ected exempt | ions Supplier Acceptance | * Accepted | | | | |
| Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead). | | | | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | |
| Declaration Signature | | | | | | | | | |
| Instructions: Complete all of the required Requester) and click on Submit Form to h | | | e drop-dowi | a. This will display the signature area. Digita | lly sign the declaration (if required by the | | | | |
| Supplier Digital Signature | astislav Drska | Le | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

| sigma range of distribution unless otherwise noted). | | | | | | | | | |
|--|---------|-----------------|----------|---|------------|--------|-----------|-----------------|--|
| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure | |
| Die | 41.8 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 41.8 | mg | |
| Die Attach | 1.84 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.0276 | mg | |
| | | | А | Lead (Pb) | 7439-92-1 | 7a | 1.7204 | mg | |
| | | | Supplier | Tin (Sn) | 7440-31-5 | | 0.092 | mg | |
| Lead Frame | 3651.21 | mg | Supplier | Iron (Fe) | 7439-89-6 | | 3.6512 | mg | |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 3646.4634 | mg | |
| | | | Supplier | Phosphorus (P) | 7723-14-0 | | 1.0954 | mg | |
| Mold Compound-Black | 1736.8 | mg | Supplier | 2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol | 6386-73-8 | | 52.2001 | mg | |
| | | | Supplier | Ortho Cresol Novolac Resin | 29690-82-2 | | 347.9991 | mg | |
| | | | В | Antimony Trioxide (Sb2O3) | 1309-64-4 | | 43.5001 | mg | |
| | | | Supplier | Carbon Black (C) | 1333-86-4 | | 13.1 | mg | |
| | | | Supplier | Fused Silica (SiO2) | 60676-86-0 | | 1280.0009 | mg | |
| Wire Bond - Al | 3.0 | mg | Supplier | Aluminum (Al) | 7429-90-5 | | 3 | mg | |